


# EdgeX - Application Working Group

## Hanoi

7/16/2020

Attendees:

 Participants (9)

-  Michael Johanson (Me, part
-  Jim White (Host)
-  Jin Rocky
-  Walt (Intel)
-  Bill Mahoney (Intel)
-  Chuck Knox (Intel)
-  Eno Udoko
-  Jim Wang (Intel)
-  Lenny Goodell (Intel)

Topics:

Review Bot PRs for ASC and SDK

App Functions SDK Examples “Hello World” – include in main repo?

- Breaking out go.mod per example in example repo is good enough

- Leaving in examples – not adding to main repo

Restructure App Service Config such that it can be expanded


- Want “On the fly configuration” which requires ASC components with custom function

- Low Priority/tech debt – create issue – determine if knowledge gap or missing need

Revert Mongo Removal – to be discussed at next Architects Meeting

Push Meeting to 4:30 – 5:30PM

# EdgeX - Application Working Group

The background of the slide features a traditional Japanese building with a dark, curved roof and red accents, partially visible on the right side. In the background, a large, snow-capped mountain, likely Mount Fuji, is visible under a soft, hazy sky.

# EdgeX - Application Working Group

**New Topic:** Cloud control of EdgeX deployment/Device commands to be relayed to devices

Possibility: Kuiper to connect to cloud MQTT Broker to receive messages and connect to command service


Challenge: Listing of supported commands of a given EdgeX deployment reported out to cloud.





**Rocky to put together proposal for a possible way to accomplish this**

Board Review

7/10/2020

Attendees:

 Participants (4)

-  Michael Johanson (Me)
-  Brian McGinn (Intel)
-  Lenny Goodell (Intel)
-  Walt (Intel)

Topics:

- Add Restriction on scope
  - Transforms
  - secrets
  - Store-forward
  - Configuration
  - SDK
  - Triggers
  - Context
- Mike: Verbose error messages for bot to determine why
- Review PRs
- Review Board


# EdgeX - Application Working Group

6/26/2020

Attendees:


 Michael Johanson (Me)

 Lenny Goodell (Intel)

 tkthimma

 Brian McGinn (Intel)

 Eno Udoko

 Walt (Intel)

+Jim White

Topics:

Review Dependency Updates

Quick chat about TensorFlow.

Example service is good move to start

Core Agenda Item -

Created timestamp being omitted before broadcasting to bus

Board Review

6/19/2020

Attendees:

 Michael Johans... (Me,

 Jim White

 Walt (Intel)

# EdgeX - Application Working Group

## Topics:

- Dependabot
  - Mike to add bot to sdk and ASC.
- Mike to Ping Jim about getting Github Actions on Agenda for Architects meeting
- Continuing Doc Updates
  - How to Add app service endpoint to Kong – Issue created – Assigned to Jim Wang
  - ~~Need to add section for accessing Context when using AddRoute function~~
- Review board


# EdgeX - Application Working Group


6/12/2020

Attendees:

 Michael Johanson (Me)

 Jim White

 Lenny Goodell (Intel)

 Walt (Intel)

Topics:

- All good for .release?
  - YES!
- ASC Snap Version
  - Can we grab the tag for accurate versioning of Snapcraft.yml - currently it is hardcoded
    - Lenny to Check w/ Lisa if we can grab this from the pipeline
- Examples Config & versions
  - Update db to redis
  - Copy and move go.mod to individual examples
  - Document version compatibility for examples
- Docs Restructure
- Board Review
- Flag Parsing issue in go-mod-bootstrap
  - “=” fix for now
- (Jim) - AI/ML Exposure – TensorFlow, FogHorn, -- focus on structured sensor data first
  - Mike to explore some basics

# EdgeX - Application Working Group

6/5/2020

Attendees:



Michael Johanson (Me)



Brian McGinn (Intel)



Jim White



Lenny Goodell (Intel)



Walt (Intel)

Topics:

LLRP App Services

- Configuration Service
- Break-up service
- Rally the troops from Intel to present
- How do we start organizing App Services by vertical

Need a template – w/ go.mod, dockerfile, main.go for everything to scaffold an app service.

Brainstorm Batch Persistence (What do we do if the service crashes while batch is being created)

## Option 1:

Do Nothing – value of data lost after few seconds – it becomes irrelevant and the data is no longer actionable – new data should be flowing when system comes up again.

**Make an option/flag on whether or not persistence is turned on for batching data.**

## Option 2:

Rest query to core data for non-pushed data on startup – sorted by datetime -- re-running the pipeline if needing to be retried.

**PreReqs:** Persistence turned on and **MarkAsPushed** is being used

Query based on markaspushed and related filters(I.e. devicesfilters, valdescriptors)

# EdgeX - Application Working Group

Option on CoreData re-push everything on the bus after crash that hasn't been "markaspushed".

MarkAsPushed – First to update problem – What if multiple services use same data and only one successfully processed.

Thought: MarkAsPushed per app service DB

## **Option 3:**

Write every record to the database that is mid batch – and purge when batch is ready.



# EdgeX - Application Working Group

5/29/2020 - Cancelled

5/22/2020 - Cancelled

5/15/2020

Attendees:



Michael Johanson (Me)



Jim White



Trevor Conn



Walt (Intel)



Lenny Goodell (Intel)

Topics:

## Review Board

Check w/ Tony/Ian on #32 for a status update

TBD - Couple weeks out: Discuss Implementation of #258, ways to store data without duplicating data in another persistent store

Architect Meeting Topic – Gateway Identity

# EdgeX - Application Working Group

## Geneva

5/8/2020

Attendees:

**MJ** Michael Johanson (Me)

**LG** Lenny Goodell (Intel)

**TC** Trevor Conn

**JW** Jim White

**W(** Walt (Intel)

Topics:

- When *exactly* are we tagging? **5/12/2020 by EOD**
  - SDK First, then ASC
  - MQTTS Secret Manual Integration Test
- Add “Semantic PR” to App Service Configurable
  - **Mike will submit LF Ticket for Semantic PR**
  - Revisit when to roll out to rest of WG
- PR For Documentation
  - App Service Configurable update docs w/ limitations and list of support functions (mappings to SDK funcs)
  - Breakout App Functions SDK section into more logical sections
  - **Jim to bring up to TSC appropriate time to “rev” docs**
- Generate Changelog
- Check In w/ Tony for ASC Snap
- Kuiper – Documentation
  - **Jim to reach out to Rocky on documentation for Kuiper**

# EdgeX - Application Working Group

5/1/2020 - Hanoi Planning

4/24/2020 - Cancelled


4/17/2020

Attendees:

 Michael Johanson (Me)

 Lenny Goodell (Intel)

 Trevor Conn

 Eno Udoko

 Jim White

 Walt M

Topics:

Kuiper Update:

- will merge latest update of compose
- Had conversions errors – provided example on how to decode floats properly
- **Lenny to put together small demo for Hanoi Talks on EMQ X Kuiper**

Review Board

Go-mod-bootstrap update?

Going well – has reduced code in SDK startup

**Will release v1.1 of SDK and subsequently the Configurable App Service once SDK has been tagged for release**

# EdgeX - Application Working Group

4/10/2020

Attendees:



Participants (5)

- M Mike (Me, participant ID: 475806)
- LG Lenny Goodell (Intel)
- TC Trevor Conn
- WM Walt M
- Jim White

Topics:

Status Update:

- 2nd SecretClient complete
  - Mike - Need to figure out whats wrong with App-service-example for Secrets
- bootstrap integration in progress.
  - Lenny needs to get with Michael Estrin – can't get compiler syntax to work for signal via channel for type when config has been updated.
  - Handlers for SDK still need to be done
- Cloud event has been completed as an example
  - Closed out cloud event transformation issues

Review Board

## New Items


EdgeX go may need secrets to connect/authenticate w/ MQTT BRoker – need to loop in Bryan Nevis - Jim to add this to Hanoi Planning discussion. Need to get secrets into vault for authenticated broker.

Shouldn't require exec into EMQ X Kuiper container to configure it – need more discussion on containerized version of rules engine.

# EdgeX - Application Working Group

4/3/2020

Attendees:



Topics:

CloudEvent Dependencies

No-Go on pulling in the cloudevent SDK into the App Func SDK

Options:

**1) Create an app service example that pulls in the cloud event SDK to show how it can be leveraged**

2) Conform to V1 Spec only w/out Cloud Event SDK and provide to/from transform in App SDK

3) Fugghedaboutit

MQTT


- Create option to specify type of authentication method

# EdgeX - Application Working Group

•


3/27/2020


Attendees:

 Mike (Me, participant ID: 49)

 Eno Udoko

 Lenny Goodell (Intel)

 Walt (Intel)

 Adam Mitchell

Topics:

- Status Update:
  - Updating ASC w/ latest features
  - MQTT / HTTP Export w/ Secrets Support
    - MQTT Export /w secrets will be a new transform, for Geneva will have 2 MQTT Exports – one with secrets, one without, will deprecate v1 in Hanoi
- Documentation updates for Edgex Docs
  - Will move documentation from App Functions SDK repo to be over in edgex-docs exclusively
  - Need to move ASC readme to edgex-docs as well
  - Create an issue for both
- CloudEvent type can be added as TargetType for ASC after CloudEvent conversion is supported
- TAF tests – sync with QA/Test group to get this effort started – specifically for Store and Forward - Lenny to talk w/ team
- Review the Board

# EdgeX - Application Working Group

Hanoi Release Planning:

*Application Services / App Functions SDK / Analytics Integration*

*New feature(s)*

- Kuiper – next release
  - Decouple from EdgeX
- Deprecate Drools rules engine
- Support Cloud Event export - will be in for Geneva
- Support additional northbound endpoints and protocol types and formats. Examples include:
  - Tencent
  - Alibaba
  - IBM Watson
  - IoTivity
  - SAP HANA
  - DDS
  - AMQP
  - Haystack
  - OPC UA
- Support enrichment functions (an EAI concept) in export services (or application services). Allow additional data or information to be added to the flow of sensor data to the northbound side. This might be information about the sensor/device that captured it or information about the commands to actuate back down on a sensor/device. - Supported w/ any custom build App Service built on top of SDK
- Integrate to edge software/agents - w/ Data Plane
  - AWS Greengrass
  - Microsoft IoT Edge
- App Service Configurable – Allow same function twice
- Fork the pipeline?
  - Allow various paths for different sensors for example
- Support multiple topics in SDK - go mod messaging- update SDK config for support of this
- Multiplexor to split out data from device services - transform that breaks down an event with multiple readings into events with single readings
- Pipeline per topic +1
- OMQ export function

*Tech Debt*

- Improve binary data support
  - Local edge analytics may be fed binary data and create intelligence from it to allow for actuation at the edge based on the binary data (example: examine an image and detect the presence of a person of interest).
  - Support alternate message formats for service-to-service exchange (Protobuf, XML, etc.)

# EdgeX - Application Working Group

- ~~Update SDK to use new persistence service~~

New Items:

All Good!

3/20/2020 Cancelled

3/13/2020

Attendees:

- Lenny
- Mike
- Jim

Topics:

- Anthony completed PR to message bus in SDK.
  - Now need to use that in a new profile for ASC.
    - Update the SDK in ASC
    - Add the Profile
- Jason fixed bug where Connect wasn't called.
- Review board: <https://github.com/orgs/edgexfoundry/projects/23>

New Business:

- Topics for Hanoi (brainstorming ideas)
  - V2 for SDK
  - Extended Kuiper Integration?
  - App Service Configurable – Allow same function twice??
  - Fork the pipeline?
    - Allow various paths for different sensors for example
  - Support multiple topics in SDK – go mod messaging
  - Multiplexor to split out data from device services
  - Pipeline per topic

3/6/2020

Attendees:

- Lenny



# EdgeX - Application Working Group

- Trevor
- Mike

Topics:

Rules Engine Recap from Yesterday -

## Choosing Method A as opposed to B:

Interpretation: Pre-Filtering on device is removed from “EMQ X Stream” (option B) and is assumed to happen in AppFunctions or in where clause in “EMQ X Rule”. *Topics aren’t a means for filtering on devices or data in the stream.*

**Event Stream Example:** `SELECT * FROM source WHERE device in ["Device1","Device2", "Device4"] AND temperature > 30`

**Provisioning/Onboarding Stream Example:** `SELECT * FROM source WHERE device in ["Device1","Device2", "Device4"]`

Would like to be able update incrementally (I.e. add a new device to list “Device 8”) - need clarity on whether this possible or if whole rule needs to be updated with complete list of devices. -- For phase 1 – will manage the whole list in the provision watcher and update rule when it changes.

//

## Approaches for Kuiper stream definition in EdgeX

	a) Multiple devices in one stream (schemaless)	b) One device – one stream (schemaless)	c) One device – one stream (schema)
Stream creation	Yes, but only ONE pre-defined stream need to be created in the docker image. <code>CREATE STREAM edgex() WITH (FORMAT="JSON", TYPE="edgex")</code>	Need to create a stream with every device but not necessary to specify data types. <code>CREATE STREAM demo() WITH (FORMAT="JSON", DATASOURCE="demo" TYPE="edgex")</code>	Need to create a stream with every device, and specify necessary field types. <code>CREATE STREAM demo (temperature float, humidity) WITH (FORMAT="JSON", DATASOURCE="demo" TYPE="edgex")</code>
SQL	<code>SELECT * FROM edgex WHERE meta("device") = "demo" AND temperature &gt; 30</code>	<code>SELECT * FROM demo WHERE temperature &gt; 30</code>	<code>SELECT * FROM demo WHERE temperature &gt; 30</code>

Proposal is [a] or [b]

- [a]
  - As in relational database: All devices are in the same table, and distinguish devices by add a condition in WHERE clause.
- [b]
  - As in relational database: Create one table for one device. FROM clause distinguishes the device.
  - Higher efficiency: Data could be filtered at the 1st process node

[c] is not suggested

- The data types are already defined in v descriptors


# EdgeX - Application Working Group

2/28/2020

Attendees:

 Mike Johanson (Me, p

 Marcelo Gallardo

 tony espy

 Lenny Goodell (Intel)

 Trevor Conn

Topics:

Marcelo Gallardo – TIBCO – Hackathon @ End of March – Palo Alto

- Integrating big data with backend applications
- Been using export client and services pretty heavily for the last 6 months
  - very easy, and flexible before hand
- Migrating to SDK – few challenges have been uncovered
  - Really like the direction- understand the direction
  - Little bit more work
  - Want to be able to dynamically add endpoints via rest
  - Want to see what is running from an export perspective from client (Android app)
    - /Config endpoint would provide current pipeline in App Service Configurable—not available in SDK built service
    - SMA has a gap in that you must know the service key of the non-registered service to get its information (I.e. config)
  - TL;DR; - need a way to see what's running on box with 1+ services built on SDK – 1 endpoint
- Possible enhancement: Would like to have a way to query SMA for status of class of services (I.e. all device services or all app services).

Tony Espy – Snaps

- Snaps for app service configurable – disconnect on versions
- SemVer shenanigans caused versioning issues
- 1.0.0 is newer than 1.1.0-dev7 for hackathon
- Tony will update snap to be 1.0.0

Insecure Secrets and store secrets are merged

Examples being created for how to use insecure secrets and vault secrets

# EdgeX - Application Working Group

Readme/documentation updated appropriately

## Kanban Board Review

2/21/2020

Attendees:

 Lenny Goodell (Intel) (Me)

 Jim White

 Trevor Conn

+Michael


Topics:


- JSONLogic – Sneakpeak
  - <https://github.com/edgexfoundry/app-functions-sdk-go/pull/292>
  - <http://jsonlogic.com/operations.html>
  - Only support Boolean operations is good enough.
  - How app services participate in blacklisting Devices?
    - Blacklisted device on-boarded is an event
    - Need to be able to detect and take action with JsonLogic function?
      - comkick it out
      - Send notification
    - Need to update device name list dynamically
  - Need Sensor event vs Control events
- Thoughts on Rules Engine next steps from meeting yesterday
  - Went well.
  - May not be right approach to consume core-contracts.
    - Use endpoints instead.
    - Also use to understand Event/Reading model.
  - Liked that they used go-mod-messaging.
  - It is an OS effort that we could contribute to.
  - Very encouraged!!
- In progress
  - PUT for secrets
  - Batch documentation
- Kanban review
  - <https://github.com/orgs/edgexfoundry/projects/23>

# EdgeX - Application Working Group

2/14/2020

Attendees:

 Mike Johanson (Me, part

 Brian McGinn (Intel)

 Jim White

 Lenny Goodell (Intel)

 Trevor Conn

+ Michael Estrin

Topics:

Go-mod-bootstrap back on for Geneva

- Wait time specifications – converted 1000 to 1s in config in app sdk – bootstrap is expecting integers – when data is returned transform structure that has strings (wait durations) to ms
  - For hanoi would want to ensure this common across services
- Self seeding to bootstrap is the last thing to be accepted – Lenny helping Jim with ADR

Kanban Board Review


Eno from our team still working on handling of insecure secrets

3:30 Meeting with EMQ X Team – bi weekly meeting

2/7/2020


Attendees:

# EdgeX - Application Working Group

 Mike Johanson (Me)

 Lenny Goodell (Intel)

 Michael Estrin

 Jim White

 Trevor Conn

## Topics:

- go-mod-bootstrap adoption

What would need to change in this module?

- Self-seed for bootstrap -- needs to be integrated – Lenny has done this in a branch – need to have issue taken off hold
  - Want agreement on various bootstrap components that need to be added – don't want disconnected implementations
  - Jim will work on putting together ADR for self-seeding
- The way we adapt how startup occurs --
  - Explore experimental – Michael E. doesn't suggest using a go routine to wrap bootstrap in order to ensure a non-breaking change to sdk
  - **Wait til Hanoi to adopt go-mod-bootstrap for breaking change**

What would change in the SDK – specifically the surface/to the developer?

- GetSecrets() from Vault is complete

**Intel team is Working on support for insecure secrets**

- Rules Engine – Next Steps
  - Guidance for Rocky?
    - **Schedule w/ Rocky a couple checkpoints to ensure keeping on path with integration**
    - **Trevor will be going a POC – will provided feedback**
  - JSON Logic
    - **Mike to make decision on feasibility for implementing in this release**
- Review Backlog
  -

# EdgeX - Application Working Group

1/24/2020

Attendees:

 Mike Johanson

 Michael Estrin

 Trevor Conn

 Eno Udoko

+ Jim White

Topics:

- Command Line Flag for `-registry / -r`

In the ADR I specified that the `-r/-registry` it would be removed and in its place, we would add the **Enable** field in the RegistryInfo struct.

Example:

```
[Registry]
Host = 'localhost'
Port = 8500
Type = 'consul'
Enabled = true
```

Option #1 – to support both config and command line option

**Option #2 – continue supporting command line option (not in config) -- aka leave as is – this will be the decision**

**Lenny will update the ADR with this decision - Add context to decision section and update appropriately**

Rules Engine Discussion from Demo

# EdgeX - Application Working Group

- Requests
- Next Steps
  - Scale testing – how many rules can be supported on various hardware setups
  - CLI today, REST API will be coming
  - How is EMQ X Kuiper Integrated
    - Agree that it shouldn't be part of edgex-go
    - In general, want to be separate from EdgeX, suggest to add ZMQ connector along with MQTT/REST
    - Anti-corruption layer
    - Should find out if plugins are a part of their architecture – windows support in native environment?
    - Should be able to be containerized independently
    - Should not be in EdgeX Foundry organization in github – leave in EMQ organization
- Is this the right path?
  - **Yes, we should continue down this path**

# EdgeX - Application Working Group

1/17/2020

Attendees:



Mike Johanson (Me)



Brandon Forster



Jim White



Lenny Goodell (Intel)



Trevor Conn

Today's Topics:

## App Service Persistence – Lenny

Need a separate service for managing the database. When you have multiple app services want to centralize db management. Problem is that multiple services accessing the same database collection – breaks microservice patterns. DB Credentials are created for a single service – In talking with Bryon Nevis, as we move to per service tokens perception was that single token wouldn't work/isn't secure.

As a counter, Each service could have its own DB and collection. Seeding credentials is the challenge.

**Need to go back to Bryon N and discuss sharing tokens for each instance of app service. Or each service having its own db/collection.**

## Secrets Abstraction for Vault

GoModSecrets is not an abstraction around secret store – specific to vault

Need to add abstraction so can support non-secure implementation

Will us in-memory keystore when in non-secure mode

**Lenny will wrap up the description and content into an ADR for decoupling from Vault**

Need to determine if this necessary for Geneva – **right thing to do, however, can crawl with the way go-mod-secrets is today.** Plan is to use secretprovider similar to store n' forward, will add a new function for getsecrets() next to getdbcredentials()




# EdgeX - Application Working Group

Service keys will be added to compose/env variables. **We need a dynamic token provisioning service – need to bring this up in Security WG.**

# EdgeX - Application Working Group

1/10/2020

Attendees:

 Mike Johanson (Me)

 Michael Estrin

 Trevor Conn

 Jim White

Today's Topics:

Batch and Send – First Look

Absolute or relative timer – allow for both based on configuration values – allow for different strategies

When no data, send empty array? or nothing at all? -- consider cloud

Higher level question – should we duplicate and store data for batch and send before transforms? After? -- BatchTransformSend or TransformBatchSend – when to store?

Name should just be batch

**EMQX Rules Engine Demo w/ EdgeX - Jan 23<sup>rd</sup> 3PM PST (Beijing Time is 7AM, Jan 24<sup>th</sup> ).**

**Determine how good is the EdgeX integration – is it ready for primetime? For Geneva?**

**For handling secrets – suggest to allow for put of secrets in go-mod-secrets – still should allow for storage of secrets if not in secure mode -- look at go-mod-bootstrap, put implementation in same place – Michael Estrin, use as sounding board**

# EdgeX - Application Working Group

12/20/2019

Attendees:

---

-  Mike Johanson (Me)
-  Jim White
-  Trevor Conn
-  Lenny Goodell (Intel)

Today's Topics:

EMQ X Kuiper Review – Jim [Powerpoint Presentation](#)

Mike to reach out to EMQ team for a demo w/ EdgeX in January

# EdgeX - Application Working Group

12/13/2019

Attendees:



Mike Johanson (Me)



Lenny Goodell (Intel)



Trevor Conn



Jim White



Michael Estrin

Today's Topics:

- Export Services Removed – Yay!
  - But...Marcello:
    - <https://edgexfoundry.slack.com/archives/CE48UTVQ9/p1571677356039900>
    - [https://edgexfoundry.slack.com/archives/CE6902Q6S/p1575999030074900?thead\\_ts=1575998734.074700&cid=CE6902Q6S](https://edgexfoundry.slack.com/archives/CE6902Q6S/p1575999030074900?thead_ts=1575998734.074700&cid=CE6902Q6S)
      - Get more information about use case
      - Encourage to use multiple app services
      - Encourage a contribution :)
  - How can we address multiple HTTP Endpoints
    - Scale problems – hold the line – export distro going away that is on purpose
      - Encourage multiple services if needing different endpoints
    - Only support multiple endpoints if pipeline transformations are the same.
- UI Updates – what should we encourage?
  - App Service Configurable
    - Deployment of App Services (add/remove)
    - Generate TOML files
    - Update consul
    - Designer – Drag N’ Drop of built in functions
  - App Services (longer term – not now)
    - Editor for your own function?
    - Generate and deploy app services for you
    - Lots of complexity here – could be overlapped with SMA
    - Lots of deployment considerations
      - I.e Docker and images – being pushed/built
- HTTPS Support for App Functions SDK – community contribution

# EdgeX - Application Working Group

- System Metrics – Not committed for Geneva -- Stretch
  - Set granularity of telemetry based on INFO, DEBUG, VERBOSE?
    - TelemetryLevel option in config
  - Timer
    - Processing time for a pipeline
      - Evaluate at Function level – Sum of functions should equal entire pipeline – only in Debug mode
    - DB access Times
  - Counter
    - How often are we failing export to be sent to db to be retried at a later time
    - Queue Size
    - How much data is being sent to an endpoint (Volume)
    - Focus on Important/Expected/Common Error Counts/Stats
      - Define what is important
    - Invalid Events – Malformed Data – Can't unmarshal
    - Number of events being received into SDK – ~~compare to Filtered?~~
      - Unmarshalled and given to pipeline
- Version Issue – App Service Configurable failing version check against core due to “master” being returned from api/version on core.
  - Need to talk to Lisa about adding a version number prefix to nightly build in CI pipeline for core related services – **Lenny**
- Can we integrate Service level testing into every PR
  - Rest APIs to be tested in Go
  - TAF tests can live in each repo if necessary
  - Leave the E2E tests to the testing team
  - Try to use the best tool for the job
  - Newman requires service to be running – run tests in IDE – leverage this same thing for unit test but run full stack application level tests instead w/ Go
    - Concern around leveraging Go environment could hinder C/C++ tests and other languages
    - No decision here in App WG – we do want community agreement
  - Need TAF or GoLang for testing something like Store and Forward – needs to be in the repo

Topics from last time:

# EdgeX - Application Working Group

12/6/2019

Attendees:



Mike Johanson (Me)



Lenny Goodell (Intel)



Jim White



Michael Estrin

Topics from last time:

- Rules Engine
  - Couple concerns – Size is one --Compared to Drools it is pretty small
  - Custom SQL Engine for Rules
  - Should we do a test-run of it? It is open-source - Jim will draw a preliminary comparison
  - **Thought is to pursue JsonLogic for now – encourage development and integration of EMQ X Kuiper for future – however current recommendation is not a full replacement for existing Drools Rules Engine**
  -

Today's Topics:

- Review New Issues
- Prioritize Work
  - <https://github.com/orgs/edgexfoundry/projects/23>

# EdgeX - Application Working Group

11/29/2019 - US Holiday Weekend

11/22/2019

Attendees:

Topics from last time:

Batch and Send – Saving for Lenny


Config/Registry refactor – saved for Architects meeting

Today's Topics:

Rules Rules Rules:

- EMQ X Kuiper
  - Open Source project
  - 6 years
  - Can be deployed from Edge to cloud
  - “Messaging Middleware Software”
  - Challenges to address:
    - Constrained devices
    - Agile
    - Install/upgrade/monitors apps for large #
  - A SQL Based IoT Rule engine – custom engine
    - ~7MB package, support Linux/MacOS ARM too
    - SQL Based
    - Built in support For MQTT Source
    - Extensible
    - <https://github.com/emqx/kuiper>
    - Restful API for rules Management
  - Couple layers of abstraction
    - Lowlevel API - MQTT based – protocol specific, flexible, but not easy to develop streaming applications
    - Streaming API
    - SQL

# EdgeX - Application Working Group



○

○

○ Source = ZMQ, MQTT, etc...

○ BadgerDB current KV storage – currently too much memory looking to replace

○

Evaluate footprint to see what it looks like alongside EdgeX.

JsonLogic: <https://github.com/edgexfoundry/app-functions-sdk-go/issues/252>

- <https://github.com/jwadham/json-logic/issues/8> -- Two implementations
- Leaning towards <https://github.com/diegoholiveira/jsonlogic>
- How would we see this being integrated into the functions pipeline/SDK?
  - Add a route POST /rules to allow for dynamic changing of rules while running?

```
{ "and" : [  
  { "<" : [ { "var" : "temp" }, 110 ] },
```



# EdgeX - Application Working Group

```
{ "==" : [ { "var" : "pie.filling" }, "apple" ] }  
]}
```

- Example Pipeline:
  - FilterByDeviceName
  - ConvertToCelcius
  - TransformToJSON
  - ApplyJSONLogic
  - HTTPPost
- Storage/Persistence of rules – it is JSON, so rules.json? Specify path in TOML? Embed directly in TOML with no JSON file?
  - Stick with file in rules.json for example
- Only want one reference implementation, wouldn't want both. (Jim)

Moved all examples underneath app-service-examples in holding

Ok that history was lost, not a way to keep it

## Fuji

11/15/2019

Attendees:


 LG	Lenny Goodell (Intel) (Me)	 
 DR	Dave Rensberger	 
 JW	Jim White	 
 JP	Joe Pearson (IBM)	 
	Michael Estrin	 
 TC	Trevor Conn	 

Today's topics

- Work Completed since last meeting
  - Vault integration for database credentials
  - Compose files updated for App Service Configurable to replace Export Srvs for Rules engine.
    - Replaced docker profiles with env var overrides for App Service Configurable
  - Moved SDK Examples into new **app-service-examples** repo in holding
  - Tagged SDK & App Service Configurable as release 1.0.0
  - Snap created for Fuji with ASC replacing Export Srvs for Rules engine

# EdgeX - Application Working Group

- Added issues for Geneva items (<https://github.com/orgs/edgexfoundry/projects/23>)



- Detailed discussion on Batch and Send
  - Consensus of concept of a Batch function
  - Discussion of in memory vs DB and designing for future scale out
    - Batched in memory by default. Use DB for durability (crawl). What about load balanced (Run)? Use semaphore in Redis?
    - Will require new DB interface? Or can we expand on the current one used for Store and Forward since the data persisted is just binary.
- ZMQ export remain in Ice Box (aka long-term backlog)
- HTTPs for REST trigger remain in Ice Box until HTTPs for all services is solved/implemented.
- Multiple Export destination moved to Ice Box
  - Concern is this basically recreates Export Distro and its scalability issues.
  - Want to revisit the use case for this to better understand if it can be solved in a scalable way.
- Review of issues in GIT Project (Geneva scope)
  - Cross cutting concerns for Geneva
    - Alt message bus
    - Event/Reading type data added
      - New models
    - API refactoring for Client used by SDK
      - Just need to latest core contracts.
    - API refactoring pattern applied in SDK?
    - Moving to TAF framework

# EdgeX - Application Working Group

- Generic error handling
- Design review of Refactoring Registry Design
  - The goal is to separate the responsibilities of configuration and service discovery.
  - Preliminary PR <https://github.com/edgexfoundry/edgex-go/pull/2133>
    - Config Provider config also in TOML?
    - Add changes for config-seed

# EdgeX - Application Working Group

11/1/2019 Cancelled

11/8/2019 Cancelled – Geneva F2F Planning

# EdgeX - Application Working Group

10/25/2019

Topics for Today:

Feature Request: Dynamic Subscription(Adding and removing) of Cloud Endpoints. This translates currently to adding/removing pipelines – which is synonymous with instances of the ASC. How do we address this?

- **Explore:** Multiple pipelines in single ASC?
- Rely on some sort of remote deployment mechanism?
- Say use the SDK and create your own endpoint to manage adding and removing HTTP endpoints?
- **Explore:** Support multiple addresses in HTTPPost?
  - Implications for S&F – add persist per endpoint?

Preparing for training of App Functions SDK and App Service Configurable

- Any particular topics we want to focus on? Any Requests?
  - Clear articulation of how this is used, ways to use it
  - Configuring custom settings in Application Service w/ SDK

Review recently completed PR's

Swagger – need to follow up on where this gets uploaded/delivered

Duration Strings – would be nice to be consistent across services – **should be brought up in core**

**WG**

App Config Rules replacing Export Client/Distro

- PR #1992 for config-seed changes to Rules Engine properties.
- Compose files will be updated after merge
- Need to determine how this affects BlackBox Tests for rules engine, and what needs to change
- 

Do we need vault integration for S&F DB creds when security is on? -- file this as bug to get included for Fuji

- Need to reach out Tingyu, leverage common implementation in core-services w/ bootstrap handler to get credentials.
- Initiate discussion to create re-usable component for retrieving credentials from Vault.
- Wait until docker-compose for secty is stable for validation of S&F

**Opens:**

**None**

# EdgeX - Application Working Group

10/18/2019

## Topics for Today:

- Move all examples into app-functions-examples repo in holding?
  - Move them ALL (don't leave one behind) into an example repo in holding
- Store and Forward complete!
  - Ready for Fuji! YAY!
  - Need to determine when to move edgex-taf-common repo – to main
- MQTT Tweaks
  - SkipVerify will be a flag (Currently hardcoded to true 😞 )
  - Refactoring
- Swagger generation from Code
  - Bring to Core – discuss with larger audience
  - How do we deploy this across the entire framework?
  - How do you make discovery of swagger spec seamless? Where would you go to find API documentation?
- Snap for App Service Configurable – Tony

## Operations Focused:

- Changelog example
  - Add to Core agenda to demonstrate traceability and standard structure for commit messages – Create an issue in core
- PR Template

## Forward Looking:

- Update all configurations to use Environment Variables to override for Docker
  - Lenny working on it
- Validate Version against Core Version (w/ option to disable)
- Blackbox tests for Store n' Forward TBD
  - Want to use TAF for this
- Geneva Items
  - Application services should provide for batch and send modes. In other words, take a collection of event/readings over time, and send on certain intervals or triggers. Store and forward based on a schedule.
  - Create a design and implement a means for application services to feed data back into core data (through a device service, via the core data API, etc.). For example, feed application services back into core data (example: aggregate readings, separate readings one per event, perform transformation from F to C on temp and return these to core) - (maybe)
    - Core Data may become more of general store of data – never meant to be long lived
    - Need to be aware of the nuances of implementing this
  -

# EdgeX - Application Working Group

The background of the slide features a traditional Japanese building with a dark, curved roof and red accents, partially visible on the right side. In the background, a large, snow-capped mountain, likely Mount Fuji, is visible under a soft, hazy sky.

# EdgeX - Application Working Group

10/8/2019 - Cancelled (EdgeX Open)

10/1/2019

Participants (6)

- MJ** Mike Johanson (Me)
- LG** Lenny Goodell (Intel)
- TC** Trevor Conn
- AS** André Srinivasan
- AB** Anthony Bonafide
- JW** Jim White

Topics for Today:

- Store and Forward PR – open
- AWS PR - Merged
- Black Box Tests finally merged -- yay!
- EdgeX Hackathon Prep

Opens:



# EdgeX - Application Working Group

9/24/2019 - Cancelled

9/17/2019



Mike Johanson (Me)



Lenny Goodell (Intel)



Brandon Forster

Topics for Today:

AWS Export – Provided some PR feedback – still WIP

Store and Forward update – Lenny

Brainstorm Geneva Ideas:

Opens:

# EdgeX - Application Working Group

9/9/2019

## Topics for Today:

- AWS Export – WIP – Alex
- Store N Forward Update
  - DB Updates – Brandon
    - For persistence, want to not have leaky abstraction. Leverage the pattern used in edgex-go.
    - DB mocks – Can we use Mockery? Stub the interface, not the DB implementation. CI ignores tests for db unless explicitly set
  - Scheduler Discussion – Lenny
    - Original Plan: Use scheduler - seems complicated for what we need
    - Can we just create our own “AutoEvent” to retry sending data.
  - Named return values
    - Lets be explicit for now, consider switching in future
- General Updates
  - Attribution file
  - Clients Added (Notification, Command, Scheduler, etc...)
    - <https://github.com/edgexfoundry/app-functions-sdk-go/issues/124>
  - Push to Core merged

## Opens:


Examples for AWS and Azure


# EdgeX - Application Working Group

The background of the slide features a traditional Japanese building with a dark, curved roof and red accents, partially visible on the right side. In the background, a large, snow-capped mountain, likely Mount Fuji, is visible under a soft, hazy sky.


# EdgeX - Application Working Group

9/3/2019

 Mike Johanson (Me)


 Doug Migliori

 Jim White

 Lenny Goodell (Intel)

 Rodney Hess

 Trevor Conn

 Brandon Forster

 Michael Estrin

 Steve Osselton

Topics for today:

- AWS Updates
  - Contact Mainflux for AWS & Azure account credentials for LF
- Store N' Forward Updates
  - DB updates from Dell (Brandon)
    - Started - WIP
  - How is SNF integrated with CoreData - concern around having separate DBs - CD is pipe for raw data events - Data Structure is different thus it can't be in same collection
    - Microservice architecture encourages separate db per service
      - Not necessarily separate physical dbs - but separate collections or logical DBs
      - Goal is to eliminate hidden DB dependencies
- "Push to Core"
  - Intel use cases require this for Fuji
  - ValueDescriptor changes would affect this
  - Add a splitter to breakout readings from a single into multiple individual events with a single reading

# EdgeX - Application Working Group

- **Messaging needs to be a topic at pre-f2f on the 9th** - especially around pub/sub
- Annotate as Experimental - Not guaranteed to stay around
- Ideas for a generic Restful service?
- Telemetry data - should this be a device service? What about a telegraf device service that supports all the telegraf plugins?
- WebServer Exposure
  - Want to give developer ability to add their own endpoint.
    - Consequence: Developer would spin up their own - requiring a second webserver be setup
    - Kong Implications?
  - `sdk.AddEndpoint('/myendpoint', myHandler, 'GET');`
- Progress Updates
  - Combed Configuration to ensure proper usage
  - Error return on HTTP Trigger
- ZMQ - Separate bus - raw connection to bus - without wrapper
  - Need to include this for Fuji - Requirement from Industrial Team from Intel
- Any update from Mainflux about XMPP?
  - Lost in space - OK not to bring over

# EdgeX - Application Working Group

8/26/2019

Topics for today:

## Mainly Status Updates for today:

- Cloud Exports
  - Azure - PR Merged! W00t! <https://github.com/edgexfoundry-holding/app-functions-azure>
  - AWS - Alex C.
    - PR by Thursday
- Store and Forward
  - Kickoff has begun, db layer has started - Thanks Brandon!
  - Should mark as handled is stored?
    - Not for crawl
  - Need to extend mongo-init for the Store.
  - Good with batch not for Fuji.
- Bug Fixes:
  - Fixed a bunch of unused configuration values in the SDK (i.e. Timeout)

**Anbody know anything about XMPP?** It exists in the export services, is this something we want to copy over to the SDK? Do we have a pulse on any customers using it? Might be an opportunity to leave behind, thoughts?

- Jim is somewhat familiar.
- Out of scope for now?
- Jim will ping Mainflux

**“Push To Core” Request from #applications** - Marcelo

Brad from Commerce Working Group, Internal Intel teams.

Could be implemented with something like:

```
PushToCore(deviceName string, valueDescriptorName string, value interface{})
```

I think we have enough folks asking for this?

# EdgeX - Application Working Group

- Is this really needed for Fuji?
- Brad come to next week's meeting to discuss priority?

Opens?

# EdgeX - Application Working Group


8/20/2019

## Other Updates:

- TargetType is implemented to support custom types to be used between App Services (no longer requiring an EdgeX Event)
- Environment Variables -

## Summary of Store and Forward:

Data will be stored upon error on export functions (HTTPPost, MQTTSend) enabled by a true/false flag "persistOnError". The following breaks out areas that would be affected that are exposed to the developer at a surface level. Internal workings are not detailed here (except the db)



## Questions/Opens:

Is batch needed? - Not for now, not related to store/forward - lets leave this on the table as stretch goal.

Do we need a flush? - Push it off?

- QoS for Mqtt how does it related to MaxRetryCount - Need to determine

How do we handle orphaned data? -- Do we care? - Do we have a TTL?

Crawl - ignored

Walk - Storage Service to manage data

- Opens: How is scheduler updated with URLs? Synced with consul?
- MarkAsPushed - handling for multiple app services than ingest the same event (how to know *all* successfully pushed) - same problem exists with export services
- Storage Service - discuss with TSC for Geneva?????



# EdgeX - Application Working Group

## Assumptions:

- Data will be discarded if pipeline changes
- Data is removed after success
- Remove/ColumnName Changes to persistent store requires wipe?

## New Initialization Parameters:

- RetryInterval (in minutes).
  - 0 = Do Not Retry and will remove any schedules from scheduler
  - > 0 = Register this app service with scheduler
- MaxRetryCount
  - 0 = Keep Trying Forever (only deletes upon success)
  - Threshold for when to remove the data from the db after so many retries
  - Provide traceability for when data is removed (i.e. Logging)

## New Endpoint Added:

- /api/v1/RetryPipeline
  - Called by scheduler based on interval.

## New Context Function:

- PersistPayload(payload []byte) - the function that will call the Create/Update dbPkg to persist the data

## SDK Functions to be Affected:

- HTTPPost(persistOnError=true/false)
- MQTTSend(persistOnError=true/false)

## Database Implementation (Help Wanted):

- Leverage official mongo driver: <https://github.com/mongodb/mongo-go-driver> (License: Apache 2.0)

DB: AppServices

CollectionName: RetryDataV1?

# EdgeX - Application Working Group

Columns:

- ID (uniqueId,guid) - unique identifier for this record
- AppServiceKey (string) - identifies the app service to which this data belongs
- Payload (byte[]) - the data to be exported (
- RetryCount (int) - how many times this has tried to be exported
- PipelinePosition (int) - where to pickup in the pipeline
- Version (string) - hash of the functions to know if the pipeline has changed
- CorrelationId - from EdgeX to track this individual record as it moves
- EventId/Checksum - in order to identify edgeX event from core and mark as pushed

CollectionName: SchemaVersion

Columns:

SDKVersion: schema

DB Pkg - ideally abstracted for implementation for Redis and Mongo

-----

Create() - Store()

Retrieve() - RetrieveFromStore()

Update() - UpdateRetryCount()

Delete() - RemoveFromStore()

**Example:**

Filter


Compress - return value of this would be persisted

HttpPost

# EdgeX - Application Working Group


8/13/2019

Attendees:


 Mike Johanson (Me, participant ID: 16)

 Brad Corrion (Intel)


 Rodney Hess

 Brandon Forster


 Bryan Rodriguez

 Dave Rensberger

 eno u

 IOTech

 Lenny Goodell (Intel)

 Malini Bhandaru

 Michael Estrin

 Steve Osselton

Topics for Today:


# EdgeX - Application Working Group

- Store & Forward Goals:
  - When connectivity is lost
  - Support Batch Mode and sending Data on a schedule

## Proposal

- Leverage existing reference implementations MongoDB and Redis
  - Probably best way to go to create its own connection and its own db collection
  - Can use same mongo instance or other - ensure isolated
- Add new parameter/option to Export functions (HTTPExport, MQTTSend) to persist on error
  - Persist on error would store event data to db on failed request
  - Should we consider a timeout for data persisted for it to be aged out
  
- Add new function - Batch(count int) - to hold messages until count is reached before outputting to next function
- Provide /endpoint for scheduler to call in order to retry previously failed requests
- Need to be clear with examples of how and when voluminous data versus occasional data can be persisted or dropped
- When processing is picked up again, its done at the export point, not the beginning of the pipeline
- Need identity of pipeline of that originated the data as well as where in the pipeline it was.
  - App Service Configurable - pipeline changes, what do you do with the data if the stage in the pipeline no longer exists
- Future consideration - Fork Pipeline based on conditions
- Example pipeline 1 (Valuable occasional data):
  - FilterByDeviceName()
  - TransformToJSON
  - Batch(50)
  - CompressWithGZIP
  - HTTPPost(persist=**true**)
  - MarkAsPushed - not called until connectivity is restored
- Example pipeline 2 (voluminous telemetry data drop it if we fail to send it out):
  - FilterByDeviceName()
  - TransformToJSON
  - HTTPPost(persist=**false**)
  
- Feature Requests - Brad Corrion

# EdgeX - Application Working Group

The background of the slide features a traditional Japanese building with a dark, curved roof and red accents, partially visible on the right side. In the background, a large, snow-capped mountain, likely Mount Fuji, is visible under a soft, hazy sky.

# EdgeX - Application Working Group

8/6/2019

Topics for today:

- Update from Cloud Export Meeting this morning
  - Mike to share module for extending App Functions SDK
  - Alex will start working on AWS Export
  - Cloud will port existing implementation so that it can extend the app functions SDK
  - Brad will share feature enhancements in the Application Working group meeting
  - CloudEvent should be added as an export formatter
    - Put it in holding along with the other cloud/north bound exports
    - Defer decisions to move to main edgexrepo until popular
- Feature Requests from Commerce Working Group
  -
- App Service Configurable - Ready for TSC Approval?
  - Yes, go for TSC Approval Wed Aug 7th
  - Export to rules engine
  - BlackBox testing
  - Ci/CD pipeline needs to be in place
- Ready to close <https://github.com/edgexfoundry/app-functions-sdk-go/issues/110?>
  - Vault integration is captured as separate issue
  - Still waiting for module to leverage vault
- MarkAsPushed - break it out from HTTP and MQTT
  - Currently baked in,
  - Will move this into its own transform to be called manually
  - **TOPIC FOR FUTURE:** What is the thing that determines that the item is removed from the gateway. How and when?
    - Maybe its just a delete? Avoid mutability
- BlackBox Testing
  - ZMQ through HTTP Export out of scope

# EdgeX - Application Working Group

7/30/2019

Topics for today:

Black Box Tests - Walkthrough for App Service Configurable

HTTPS Export -- We are at parity now(Good for Fuji) - Stretch goal to extend scope to the following:

- mTLS?
- OAuth?
- Token Based Auth for header?

Azure Export

How many services do we want to provide an example for?

- Support existing Azure IoT Hub (via MQTT)
- Create issues for other Azure services that could be helpful with “help-wanted” tag
  - Blob Storage

Refactoring of Functions

Port Allocation:

- Default is 48095 today
- Option to support ephemeral ports (OS Picks).


Any Bugs needing to be discussed?

<https://github.com/edgexfoundry/go-mod-messaging/issues/31>

Any Other Updates?

Still in Beta today - Will match major release of EdgeX once released.

# EdgeX - Application Working Group

The background of the slide features a traditional Japanese building with a dark, curved roof and red accents, partially visible on the right side. In the background, a large, snow-capped mountain, likely Mount Fuji, is visible under a soft, hazy sky.



# EdgeX - Application Working Group

## Edinburg

7/16/2019

### Attendees:

- [Jim White](#)(Dell)
- [Trevor Conn](#) (Dell)
- [Anthony Bonafide](#) (Dell)
- Doug Migliori (ControlBEAM)
- [Joe Pearson](#) (OBM)
- Michael Estrin (Dell)

### Topics for today:

Export Distro ([Issue #512](#)) / go-mod-messaging ([Issue #28](#))

- Only able to recreate with core-data running in docker
- Found new issue where core-data stopped publishing events
  - No errors or crash.
  - Stopping DS(s) and restarting mongo resolved until both DSs running.
  - Dropping Events & Readings collections from Mongo resolves issue
- Lenny will merge fix and update edgex-go and retest
- Lenny will create issue for new issue where Core Data stopped publishing.
  - Lenny will take his test case to the QA/Test WG.

### App-service-configurable Docker

- Profile specified from compose file 'cmd:' or docker run.
- Default run without profile will cause error.
- Will start with the following profiles:
  - rules-engine
  - mqtt-export
  - http-export
  - docker
    - Default sample (filter & xml transform)
- Current filter function need to pass-thru if filter values empty, currently none passed thru.

# EdgeX - Application Working Group

- This allows more flexibility with configurable pipeline

## Blackbox Testing

- First pass on existing REST API using current tooling and scripts to set config
  - Will also use REST Trigger to drive testing function pipeline
    - Post event
    - Pipeline runs
    - Result send back as HTTP response
- More Robust test once we have Robot (dependent on QA/Test WG)
  - Above race condition and previous expose that we don't have sufficient full scale integration and stress testing.
  -

## Any Bugs needing to be discussed?

## Any Other Updates?

- Rules engine update
  - Jim working on it to handle MessageEnvelope
  - Looking for recommendation for CBOR package for Java
- Environment variable override has been merged.

# EdgeX - Application Working Group

The background of the slide features a traditional Japanese building with a dark, curved roof and red accents, partially visible on the right side. In the background, a large, snow-capped mountain, likely Mount Fuji, is visible under a soft, hazy sky.

# EdgeX - Application Working Group

7/9/2019

## Topics for today:

- Possible Race Issue -- we good?
  - MacOS impacted for go-mod-messaging - pending PR from trevor
  - Cloud/IO tech -- error message - need to dig a little deeper here - topic is getting written twice - need to root cause for possible dot release of Edinburgh - 5 min on Toms system to reproduce
  - Lenny to reach out to schedule a debug session to diagnose.
- Pull Request Feedback <https://github.com/edgexfoundry/app-functions-sdk-go/pull/123>
  - Profile
  - Consul Registry Stem
- Updates on Rules Engine? - Jim
- Summary Slide of App Functions SDK for User Facing Consumption (per Keith from TSC)

## Any Bugs needing to be discussed?

<https://github.com/edgexfoundry/app-functions-sdk-go/issues/124>

## Any Other Updates?

# EdgeX - Application Working Group

6/28/2019

## Topics for today:

- Dynamic Func Pipeline Updates
  - Profile for different versions
- Rules Engine Issue - Handling envelope from App Function SDK/Core Data
  - Jim to update Rules Engine - Minor Version Update to Rule Engine
  - Will handle both from Core Data (wrapped w/ Envelope) directly and from Export Services (unwrapped)
- CI/CD Pipeline updated using what Lisa demoed in DevOps working group
  -
- Repo created for “app-service-configurable” service in EdgeX-Holding

Any Bugs needing to be discussed?

Any Other Updates?

6/18/2019

## Topics for today:

- Demo of Dynamic Pipeline
- Version is not 1.0 so which one do we like? 0.1? 0.5?
  - Version 0.0.1 - Work with Devops to get tagging working - reach out to Jacob/Lisa about version file - replace with pipeline job
- Need to request a repo in holding for the “app-service-configurable” service
  - Send an email to LF helpdesk - can ask James for exact process to do it.
- <https://github.com/edgexfoundry/app-functions-sdk-go/projects/2>

# EdgeX - Application Working Group

Any Bugs needing to be discussed?


Any Other Updates?

# EdgeX - Application Working Group

6/11/2019

## Topics for today:

- **Ideas for repos for EdgeX hosted app services**
  - Rules Engine/Configurable App Service
    - **Separate Repos: +Mike +Jim**
      - App-services-default
      - Pro: create own release strategy
    - **Single/mono Repo:**
      - app-services-examples
        - /rules-engine
        - /configurable
        - /azure
        - /aws
        - /alibabacloud



# EdgeX - Application Working Group

- Our thoughts on Configurable Pipeline Service:

```
[Pipeline]
  [Pipeline.DeviceNameFilter]
    deviceNames = [ "red", "yellow", "green" ]
  [Pipeline.ValueDescriptorFilter]
    valueDescriptors = [ "red", "yellow", "green" ]
  [Pipeline.JSONTransform]
  [Pipeline.HTTPPost]
    url = "http://"
    mimeType = "" #OPTIONAL - default application/json
```

1. Pipeline should watch for changes from registry if configuration changes (aka Dynamic Pipeline)
2. Documentation should be created
3. All Functions should match exactly the name and parameters as they are in the SDK with what is in the Configuration

Any Bugs needing to be discussed?

Any Other Updates?

Versioning to be discussed



# EdgeX - Application Working Group

6/4/2019

Topics for today:

Version.go file vs Version - do we need this?

Demo of E2E CBOR - Lenny

## Fuji Review !!!!

4. Prebuild App Service that looks to configuration for defining pipeline - eliminating need to for code development - **Intel - Lenny/Mike**
  - a. Prepares data for Rules Engine - discuss function in sdk vs service - pre-baked service readily available to send events to rules engine. - **Jim to consult**
    - i. Don't force rules engine to handle CBOR, let app functions sdk handle it and sending it as json
5. Black Box Tests - **Intel - Walt - w/ James DevOps and QA group**
  - b. Document Proposal to share w/ other working groups
  - c. Working w/ QA to get Test Runner up and running
  - d. Prebuilt Service Perhaps to use for testing
  - e. Items to test (a couple sample services):
    - ii. Endpoints - SMA Config, Metrics
    - iii. HTTP Trigger
    - iv. MessageBus integration
6. Vault Integration - let Molini know that we are looking to integrate
7. Export Services Parity - **Intel**
  - f. Compression
  - g. Encryption
  - h. HTTPS/MQTTS
  - i. Cloud References/Examples
8. Store and Forward Ability

## Other Items For Consideration (Stretch Goals):

- Ability to process other types of data from bus
- [Add API support for notifications and Commanding](#)
- SMA Integration, push control data - alternate use of app services.
- Other Abstractions/Implementation for go-mod-messaging? MQTT

Any Bugs needing to be addressed?

<https://github.com/edgexfoundry/app-functions-sdk-go/issues/83> - Fixed, samples updated.

# EdgeX - Application Working Group

Any Other Updates?

None

# EdgeX - Application Working Group

5/28/2019

## CODE FREEZE DAY!!!



Features from last week:

9. MarkAsPushed
10. CBOR Implementation

On Deck:

11. Documentation Updates

Any Bugs/Issues needing to be addressed:

<https://github.com/edgexfoundry/app-functions-sdk-go/issues/83>

# EdgeX - Application Working Group

Any Other Updates?