10/25/2019

Topics for Today:

Feature Request: Dynamic Subscription(Adding and removing) of Cloud Endpoints. This translates currently to adding/removing pipelines – which is synonymous with instances of the ASC. How do we address this?

- Multiple pipelines in ASC?
- Rely on some sort of remote deployment mechanism?
- Say use the SDK and create your own endpoint to manage adding and removing HTTP endpoints?
- Support multiple addresses in HTTPPost?

Preparing for training of App Functions SDK and App Service Configurable

• Any particular topics we want to focus on? Any Requests?

10/18/2019

Topics for Today:

- Move all examples into app-functions-examples repo in holding?
 - Move them ALL (don't leave one behind) into an example repo in holding
- Store and Forward complete!
 - Ready for Fuji! YAY!
 - Need to determine when to move edgex-taf-common repo to main
- MQTT Tweaks
 - SkipVerify will be a flag (Currently hardcoded to true)
 - Refactoring
- Swagger generation from Code
 - Bring to Core discuss with larger audience
 - How do we deploy this across the entire framework?
 - How do you make discovery of swagger spec seamless? Where would you go to find API documentation?
- Snap for App Service Configurable Tony

Operations Focused:

- Changelog example
 - Add to Core agenda to demonstrate traceability and standard structure for commit messages – Create an issue in core
- PR Template

Forward Looking:

- Update all configurations to use Environment Variables to override for Docker
 - Lenny working on it
- Validate Version against Core Version (w/ option to disable)
- Blackbox tests for Store n' Forward TBD
 - Want to use TAF for this
- Geneva Items
 - Application services should provide for batch and send modes. In other words, take a collection of event/readings over time, and send on certain intervals or triggers. Store and forward based on a schedule.
 - Create a design and implement a means for application services to feed data back into core data (through a device service, via the core data API, etc.). For example, feed application services back into core data (example: aggregate readings, separate readings one per event, perform transformation from F to C on temp and return these to core) - (maybe)
 - Core Data may become more of general store of data never meant to be long lived

Need to be aware of the nuances of implementing this

.

10/8/2019 - Cancelled (EdgeX Open)

10/1/2019



Topics for Today:

- Store and Forward PR open
- AWS PR Merged
- Black Box Tests finally merged -- yay!
- EdgeX Hackathon Prep

Opens:

9/24/2019 - Cancelled 9/17/2019



LG Lenny Goodell (Intel)



Topics for Today:

AWS Export – Provided some PR feedback – still WIP

Store and Forward update – Lenny

Brainstorm Geneva Ideas:

Opens:

9/9/2019

Topics for Today:

- AWS Export WIP Alex
- Store N Forward Update
 - DB Updates Brandon
 - For persistence, want to not have leaky abstraction. Leverage the pattern used in edgex-go.
 - DB mocks Can we use Mockery? Stub the interface, not the DB implementation. Cl ignores tests for db unless explicitly set
 - Scheduler Discussion Lenny
 - Original Plan: Use scheduler seems complicated for what we need
 - Can we just create our own "AutoEvent" to retry sending data.
 - Named return values
 - Lets be explicit for now, consider switching in future
- General Updates
 - Attribution file
 - Clients Added (Notification, Command, Scheduler, etc...)
 - https://github.com/edgexfoundry/app-functions-sdk-go/issues/124
 - Push to Core merged

Opens:

Examples for AWS and Azure

9/3/2019



DM Doug Migliori

JW Jim White

Lenny Goodell (Intel)

RH Rodney Hess

TC Trevor Conn

Brandon Forster

Michael Estrin

Steve Osselton

Topics for today:

- AWS Updates
 - Contact Mainflux for AWS & Azure account credentials for LF
- Store N' Forward Updates
 - DB updates from Dell (Brandon)
 - Started WIP
 - How is SNF integrated with CoreData concern around having separate DBs -CD is pipe for raw data events - Data Structure is different thus it can't be in same collection
 - Microservice architecture encourages separate db per service
 - Not necessarily separate physical dbs but separate collections or logical DBs
 - Goal is to eliminate hidden DB dependencies
- "Push to Core"
 - Intel use cases require this for Fuji
 - ValueDescriptor changes would affect this
 - Add a splitter to breakout readings from a single into multiple individual events with a single reading

- Messaging needs to be a topic at pre-f2f on the 9th especially around pub/sub
- Annotate as Experimental Not guaranteed to stay around
- Ideas for a generic Restful service?
- Telemetry data should this be a device service? What about a telegraf device service that supports all the telegraf plugins?
- WebServer Exposure
 - Want to give developer ability to add their own endpoint.
 - Consequence: Developer would spin up their own requiring a second webserver be setup
 - Kong Implications?
 - sdk.AddEndpoint('/myendpoint', myHandler, 'GET');
- Progress Updates
 - Combed Configuration to ensure proper usage
 - Error return on HTTP Trigger
- ZMQ Separate bus raw connection to bus without wrapper
 - Need to include this for Fuji Requirement from Industrial Team from Intel
- Any update from Mainflux about XMPP?
 - Lost in space OK not to bring over

8/26/2019

Topics for today:

Mainly Status Updates for today:

- Cloud Exports
 - Azure PR Merged! W00t! https://github.com/edgexfoundry-holding/app-functions-azure
 - AWS Alex C.
 - PR by Thursday
- Store and Forward
 - o Kickoff has begun, db layer has started Thanks Brandon!
 - Should mark as handled is stored?
 - Not for crawl
 - Need to extend mongo-init for the Store.
 - Good with batch not for Fuji.
- Bug Fixes:
 - Fixed a bunch of unused configuration values in the SDK (i.e. Timeout)

Anbody know anything about XMPP? It exists in the export services, is this something we want to copy over to the SDK? Do we have a pulse on any customers using it? Might be an opportunity to leave behind, thoughts?

- Jim is somewhat familiar.
- Out of scope for now?
- Jim will ping Mainflux

"Push To Core" Request from #applications - Marcelo

Brad from Commerce Working Group, Internal Intel teams.

Could be implemented with something like:

PushToCore(deviceName string, valueDescriptorName string, value
interface{})

I think we have enough folks asking for this?

- Is this really needed for Fuji?
- Brad come to next week's meeting to discuss priority?

Opens?


8/20/2019

Other Updates:

- TargetType is implemented to support custom types to be used between App Services (no longer requiring an EdgeX Event)
- Environment Variables -

Summary of Store and Forward:

Data will be stored upon error on export functions (HTTPPost, MQTTSend) enabled by a true/false flag "persistOnError". The following breaks out areas that would be affected that are exposed to the developer at a surface level. Internal workings are not detailed here (except the db)



Questions/Opens:

Is batch needed? - Not for now, not related to store/forward - lets leave this on the table as stretch goal.

Do we need a flush? - Push it off?

QoS for Mqtt how does it related to MaxRetryCount - Need to determine

How do we handle orphaned data? -- Do we care? - Do we have a TTL?

Crawl - ignored

Walk - Storage Service to manage data

- Opens: How is scheduler updated with URLs? Synced with consul?
- MarkAsPushed handling for multiple app services than ingest the same event (how to know *all* successfully pushed) same problem exists with export services

• Storage Service - discuss with TSC for Geneva?????

Assumptions:

- Data will be discarded if pipeline changes
- Data is removed after success
- Remove/ColumnName Changes to persistent store requires wipe?

New Initialization Parameters:

- RetryInterval (in minutes).
 - 0 = Do Not Retry and will remove any schedules from scheduler
 - > 0 = Register this app service with scheduler
- MaxRetryCount
 - 0 = Keep Trying Forever (only deletes upon success)
 - o Threshold for when to remove the data from the db after so many retries
 - Provide traceability for when data is removed (i.e. Logging)

New Endpoint Added:

- /api/v1/RetryPipeline
 - Called by scheduler based on interval.

New Context Function:

 PersistPayload(payload []byte) - the function that will call the Create/Update dbPkg to persist the data

SDK Functions to be Affected:

- HTTPPost(persistOnError=true/false)
- MQTTSend(persistOnError=true/false)

Database Implementation (Help Wanted):

Leverage official mongo driver: https://github.com/mongodb/mongo-go-driver (License: Apache 2.0)

DB: AppServices

CollectionName: RetryDataV1?

Columns:

Filter

HttpPost

- ID (uniqueld,guid) unique identifier for this record
- AppServiceKey (string) identifies the app service to which this data belongs
- Payload (byte[]) the data to be exported (
- RetryCount (int) how many times this has tried to be exported
- PipelinePosition (int) where to pickup in the pipeline
- Version (string) hash of the functions to know if the pipeline has changed
- CorrelationId from EdgeX to track this individual record as it moves
- EventId/Checksum in order to identify edgeX event from core and mark as pushed

CollectionName: SchemaVersion
Columns:
SDKVersion: schema

DB Pkg - ideally abstracted for implementation for Redis and Mongo
-----Create() - Store()
Retrieve() - RetrieveFromStore()
Update() - UpdateRetryCount()
Delete() - RemoveFromStore()
Example:

Compress - return value of this would be persisted

8/13/2019

Attendees:

- MJ Mike Johanson (Me, participant ID: 16)
- BC Brad Corrion (Intel)
- RH Rodney Hess
- Brandon Forster
- BR Bryan Rodriguez
- DR Dave Rensberger
- EU eno u
- OTech IOTech
- Lenny Goodell (Intel)
- Malini Bhandaru
- Michael Estrin
- SO Steve Osselton

Topics for Today:

- Store & Forward Goals:
 - When connectivity is lost
 - Support Batch Mode and sending Data on a schedule

Proposal

- Leverage existing reference implementations MongoDB and Redis
 - Probably best way to go to create its own connection and its own db collection
 - Can use same mongo instance or other ensure isolated
- Add new parameter/option to Export functions (HTTPExport, MQTTSend) to persist on error
 - Persist on error would store event data to db on failed request
 - Should we consider a timeout for data persisted for it to be aged out
- Add new function Batch(count int) to hold messages until count is reached before outputting to next function
- Provide /endpoint for scheduler to call in order to retry previously failed requests
- Need to be clear with examples of how and when voluminous data versus occasional data can be persisted or dropped
- When processing is picked up again, its done at the export point, not the beginning of the pipeline
- Need identity of pipeline of that originated the data as well as where in the pipeline it was.
 - App Service Configurable pipeline changes, what do you do with the data if the stage in the pipeline no longer exists
- Future consideration Fork Pipeline based on conditions
- Example pipeline 1 (Valuable occasional data):
 - FilterByDeviceName()
 - TransformToJSON
 - Batch(50)
 - CompressWithGZIP
 - HTTPPost(persist=true)
 - MarkAsPushed not called until connectivity is restored
- Example pipeline 2 (voluminous telemetry data drop it if we fail to send it out):
 - FilterByDeviceName()
 - TransformToJSON
 - HTTPPost(persist=false)
- Feature Requests Brad Corrion

8/6/2019

Topics for today:

- Update from Cloud Export Meeting this morning
 - Mike to share module for extending App Functions SDK
 - Alex will start working on AWS Export
 - Cloud will port existing implementation so that it can extend the app functions SDK
 - Brad will share feature enhancements in the Application Working group meeting
 - CloudEvent should be added as an export formatter
 - Put it in holding along with the other cloud/north bound exports
 - Defer decisions to move to main edgexrepo until popular
- Feature Requests from Commerce Working Group

•

- App Service Configurable Ready for TSC Approval?
 - Yes, go for TSC Approval Wed Aug 7th
 - Export to rules engine
 - BlackBox testing
 - Ci/CD pipeline needs to be in place
- Ready to close https://github.com/edgexfoundry/app-functions-sdk-go/issues/110?
 - Vault integration is captures as separate issue
 - · Still waiting for module to leverage vault
- MarkAsPushed break it out from HTTP and MQTT
 - · Currently baked in,
 - Will move this into its own transform to be called manually
 - **TOPIC FOR FUTURE:** What is the thing that determines that the item is removed from the gateway. How and when?
 - Maybe its just a delete? Avoid mutability
- BlackBox Testing
 - ZMQ through HTTP Export out of scope

7/30/2019

Topics for today:

Black Box Tests - Walkthrough for App Service Configurable

HTTPS Export -- We are at parity now(Good for Fuji) - Stretch goal to extend scope to the following:

- mTLS?
- OAuth?
- Token Based Auth for header?

Azure Export

How many services do we want to provide an example for?

- Support existing Azure IoT Hub (via MQTT)
- Create issues for other Azure services that could be helpful with "help-wanted" tag
 - Blob Storage

Refactoring of Functions

Port Allocation:

- Default is 48095 today
- Option to support ephemeral ports (OS Picks).

Any Bugs needing to be discussed?

https://github.com/edgexfoundry/go-mod-messaging/issues/31

Any Other Updates?

Still in Beta today - Will match major release of EdgeX once released.

7/16/2019

Attendees:

- Jim White(Dell)
- Trevor Conn (Dell)
- Anthony Bonafide (Dell)
- Doug Migliori (ControlBEAM)
- Joe Pearson (OBM)
- Michael Estrin (Dell)

Topics for today:

Export Distro (Issue #512) / go-mod-messaging (Issue #28)

- Only able to recreate with core-data running in docker
- Found new issue where core-data stopped publishing events
 - No errors or crash.
 - Stopping DS(s) and restarting mongo resolved until both DSs running.
 - o Dropping Events & Readings collections from Mongo resolves issue
- Lenny will merge fix and update edgex-go and retest
- Lenny will create issue for new issue where Core Data stopped publishing.
 - Lenny will take his test case to the QA/Test WG.

App-service-configurable Docker

- Profile specified from compose file 'cmd:' or docker run.
- Default run without profile will cause error.
- Will start with the following profiles:
 - o rules-engine
 - mqtt-export
 - http-export
 - o docker
 - Default sample (filter & xml transform)
- Current filter function need to pass-thru if filter values empty, currently none passed thru.

o This allows more flexibility with configurable pipeline

Blackbox Testing

- First pass on existing REST API using current tooling and scripts to set config
 - o Will also use REST Trigger to drive testing function pipeline
 - Post event
 - Pipeline runs
 - Result send back as HTTP response
- More Robust test once we have Robot (dependent on QA/Test WG)
 - Above race condition and previous expose that we don't have sufficient full scale integration and stress testing.

0

Any Bugs needing to be discussed?

Any Other Updates?

- Rules engine update
 - Jim working on it to handle MessageEnvelope
 - Looking for recommendation for CBOR package for Java
- Environment variable override has been merged.

7/9/2019

Topics for today:

- Possible Race Issue -- we good?
 - MacOS impacted for go-mod-messaging pending PR from trevor
 - Cloud/IO tech -- error message need to dig a little deeper here topic is getting written twice - need to root cause for possible dot release of Edinburgh - 5 min on Toms system to reproduce
 - o Lenny to reach out to schedule a debug session to diagnose.
- Pull Request Feedback https://github.com/edgexfoundry/app-functions-sdk-go/pull/123
 - Profile
 - Consul Registry Stem
- Updates on Rules Engine? Jim
- Summary Slide of App Functions SDK for User Facing Consumption (per Keith from TSC)

Any Bugs needing to be discussed?

https://github.com/edgexfoundry/app-functions-sdk-go/issues/124

Any Other Updates?

6/28/2019

Topics for today:

- Dynamic Func Pipeline Updates
 - o Profile for different versions
- Rules Engine Issue Handling envelope from App Function SDK/Core Data
 - o Jim to update Rules Engine Minor Version Update to Rule Engine
 - Will handle both from Core Data (wrapped w/ Envelope) directly and from Export Services (unwrapped)
- CI/CD Pipeline updated using what Lisa demoed in DevOps working group
 - 0
- Repo created for "app-service-configurable" service in EdgeX-Holding

Any Bugs needing to be discussed? Any Other Updates?

6/18/2019

Topics for today:


- Demo of Dynamic Pipeline
- Version is not 1.0 so which one do we like? 0.1? 0.5?
 - Version 0.0.1 Work with Devops to get tagging working reach out to Jacob/Lisa about version file - replace with pipeline job
- Need to request a repo in holding for the "app-service-configurable" service
 - o Send an email to LF helpdesk can ask James for exact process to do it.
- https://github.com/edgexfoundry/app-functions-sdk-go/projects/2

Any Bugs needing to be discussed? Any Other Updates?

6/11/2019

Topics for today:

- Ideas for repos for EdgeX hosted app services
 - Rules Engine/Configurable App Service
 - Separate Repos: +Mike +Jim
 - App-services-default
 - Pro: create own release strategy
 - Single/mono Repo:
 - app-services-examples
 - o /rules-engine
 - /configurable
 - o /azure
 - o /aws
 - o /alicloud



Our thoughts on Configurable Pipeline Service:

```
[Pipeline]
    [Pipeline.DeviceNameFilter]
        deviceNames = [ "red", "yellow", "green" ]
    [Pipeline.ValueDescriptorFilter]
        valueDescriptors = [ "red", "yellow", "green" ]
    [Pipeline.JSONTransform]
    [Pipeline.HTTPPost]
        url = "http://"
        mimeType = "" #OPTIONAL - default application/json
```

- 1. Pipeline should watch for changes from registry if configuration changes (aka Dynamic Pipeline)
- 2. Documentation should be created
- 3. All Functions should match exactly the name and parameters as they are in the SDK with what is in the Configuration

Any Bugs needing to be discussed?

Any Other Updates?

Versioning to be discussed

6/4/2019

Topics for today:

Version.go file vs Version - do we need this?

Demo of E2E CBOR - Lenny

Fuji Review !!!!

- 4. Prebuild App Service that looks to configuration for defining pipeline eliminating need to for code development Intel Lenny/Mike
 - a. Prepares data for Rules Engine discuss function in sdk vs service pre-baked service readily available to send events to rules engine. **Jim to consult**
 - i. Don't force rules engine to handle CBOR, let app functions sdk handle it and sending it as json
- 5. Black Box Tests Intel Walt w/ James DevOps and QA group
 - b. Document Proposal to share w/ other working groups
 - c. Working w/ QA to get Test Runner up and running
 - d. Prebuilt Service Perhaps to use for testing
 - e. Items to test (a couple sample services):
 - ii. Endpoints SMA Config, Metrics
 - iii. HTTP Trigger
 - iv. MessageBus integration
- 6. Vault Integration let Molini know that we are looking to integrate
- 7. Export Services Parity Intel
 - f. Compression
 - g. Encryption
 - h. HTTPS/MQTTS
 - i. Cloud References/Examples
- 8. Store and Forward Ability

Other Items For Consideration (Stretch Goals):

- Ability to process other types of data from bus
- Add API support for notifications and Commanding
- SMA Integration, push control data alternate use of app services.
- Other Abstractions/Implementation for go-mod-messaging? MQTT

Any Bugs needing to be addressed?

https://github.com/edgexfoundry/app-functions-sdk-go/issues/83 - Fixed, samples updated.

Any Other Updates?

None

5/28/2019

CODE FREEZE DAY!!!



Features from last week:

- 9. MarkAsPushed
- 10. CBOR Implementation

On Deck:

11. Documentation Updates

Any Bugs/Issues needing to be addressed:

https://github.com/edgexfoundry/app-functions-sdk-go/issues/83

Any Other Updates?